

Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifier

Trade name

### Binder for stone carpet

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Binding agent

Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 +49 (0) 4144 69821-20 Fax no.

### Information provided by / telephone

+49 (0) 4144 69821-0

### Advice on Safety Data Sheet

sdb info@umco.de

### Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1: H317

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### Hazard pictograms







### Signal word

Warning

### Hazardous component(s) to be indicated on label:

1,6-hexanediyl-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl)carbamate

### Hazard statement(s)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

### Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P261 Avoid breathing vapours/spray.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P370+P378 In case of fire: Use water spray, carbon dioxide, dry chemical or foam to extinguish. P501

Dispose of contents/container to a facility in accordance with local and national

regulations.

#### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Chemical characterization

preparation

Hazardous ingredients

No	Substance name		Additi	onal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	xylene					
	1330-20-7	Acute Tox. 4*; H312	>	10.00 - <	30.00	%-b.w.
	215-535-7	Acute Tox. 4*; H332				
	601-022-00-9	Flam. Liq. 3; H226				
	-	Skin Irrit. 2; H315				
2	1,6-hexanediyl-bis(	2-(2-(1-ethylpentyl)-3-				
	oxazolidinyl)ethyl)	carbamate				
	140921-24-0	Skin Sens. 1; H317	>	10.00 - <	30.00	%-b.w.
	411-700-4					
	616-079-00-5					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	С	<u>-</u>	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

### **SECTION 4: First aid measures**

### Description of first aid measures

### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

### After skin contact

Wash off immediately with soap and water. Don't use solvents.

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.



Trade name: Binder for stone carpet

**Current version :** 1.1.0, issued: 07.03.2018 **Replaced version:** 1.0.0, issued: 11.05.2017 **Region:** GB

#### After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### I.3 Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

### 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Provide eye wash fountain in work area. Have emergency shower available.

### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one.

### Advice on storage assembly

Do not store together with: Oxidizing agents

### 7.3 Specific end use(s)

No data available.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	xylene	1330-20-7		215-535-7	
	List of approved workplace exposure limits (WELs) /	EH40			
	Xylene, o-, m-, p- or mixed isomers				
	STEL	441	mg/m³	100	ml/m³
	TWA	220	mg/m³	50	ml/m³
	Skin resorption / sensibilisation	Sk	-		
	2000/39/E				
	2000/39/EC				
	Xylene, mixed isomers, pure				
	STEL	442	mg/m³	100	ppm
	TWA	221	mg/m³	50	ppm
	Skin resorption / sensibilisation	Skin			

### 8.2 Exposure controls

### Appropriate engineering controls

No data available.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

#### Other

Normal chemical work clothing.

### Environmental exposure controls

No data available.



Trade name: Binder for stone carpet

**Current version :** 1.1.0, issued: 07.03.2018 **Replaced version :** 1.0.0, issued: 11.05.2017 **Region :** GB

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

.1 Information on basic physical and ch	nemical properties
Form/Colour liquid	
transparent	
Odour	
characteristic	
Odour threshold  No data available	
pH value No data available	
Boiling point / boiling range No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	30 °C
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	0.98 - 1.00 g/cm <sup>3</sup>
Solubility in water Remarks	insoluble
Homano	Intolubio



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

Solubility(ies)				
No data available				
Partition coefficient: n-octanol/water				
No data available				
Viscosity				
Value	650	- 850	mPa*s	

20

°C

Reference temperature

### Other information

Other information

No data available.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

None, if handled according to intended use.

### 10.5 Incompatible materials

strong acids; strong bases

### 10.6 Hazardous decomposition products

Flammable gases/vapours

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

No c	No data available					
Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)					
No	o Product Name					
1	Binder for stone carpet					
Rem	arks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).				

### Acute dermal toxicity

Acute oral toxicity

No c	No data available						
Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)						
No	Product Name						
1	Binder for stone carpet						
Rem	arks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).					



Trade name: Binder for stone carpet

**Current version :** 1.1.0, issued: 07.03.2018 **Replaced version :** 1.0.0, issued: 11.05.2017 **Region :** GB

		Acute	inhalational	toxicity
--	--	-------	--------------	----------

No data available

### Skin corrosion/irritation

No data available

# Serious eye damage/irritation No data available

### Respiratory or skin sensitisation

No data available

Gorm cell mutagonicity

001	in cen matagementy				
No	Substance name	CAS no.	EC no.		
1	xylene	1330-20-7	215-535-7		
Sou	Source ECHA				
Evaluation/classification		Based on available data, the classification	n criteria are not met.		

### Reproduction toxicity

IXCP	Todaction toxicity			
No	Substance name	CAS no.	EC no.	
1	xylene	1330-20-7	215-535-7	
Sou	rce	ECHA		
Eval	luation/classification	Based on available data, the classification criteria are not met.		

Care	Carcinogenicity					
No	Substance name	CAS no.	EC no.			
1	xylene	1330-20-7	215-535-7			
Source ECHA						
Evaluation/classification		Based on available data, the clas	sification criteria are not met.			

### STOT - single exposure

No data available

STOT - repeated exposure				
No	Substance name	CAS no.	EC no.	
1 xylene		1330-20-7	215-535-7	
Sou	Source ECHA			
Evaluation/classification		Based on available data, the classif	ication criteria are not met.	

### Aspiration hazard

No data available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness. Inhalation of vapours in higher concentration may lead to irritation of eyes, nose and respiratory tract. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish (acute)					
No	Substance name	ame CAS no.		EC no.	
1	xylene	1330-20-7		215-535-7	
LC5	0		2.6	mg/l	
Duration of exposure			96	h	
Species		Oncorhynchus mykiss			
Method		OECD 203			
Source		ECHA			



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017

Region: GB

### Toxicity to fish (chronic)

No data available

### Toxicity to Daphnia (acute)

No data available

Tox	Toxicity to Daphnia (chronic)					
No	Substance name	CAS no.		EC no.		
1	xylene	1330-20-7		215-535-7		
NOE	EC		1.17	mg/l		
Duration of exposure			7	day(s)		
Species		Daphnia magna				
Source		ECHA				

### Toxicity to algae (acute)

No data available

### Toxicity to algae (chronic)

No data available

Bac	Bacteria toxicity					
No	Substance name	CAS	no.	EC no.		
1	xylene	1330	-20-7	215-535-7		
IC50	)	>	157	mg/l		
Duration of exposure			3	h ¯		
Species		activated sludge				
Method		OECD 209				
Source		ECHA				

12.2 Persistence and degradability

Biod	Biodegradability					
No	Substance name	CAS no.	CAS no.		EC no.	
1	xylene	1330-20-7		215-535-7		
Туре	9	aerobic biodegradation				
Value			87.8	%		
Duration			28	day(s)		
Method		OECD 301 F				
Source		ECHA				
Evaluation		readily biodegradable				

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)					
No	Substance name		CAS no.	EC no.	
1	xylene		1330-20-7	215-535-7	
BCF		<	25.9		
Species		Oncorhynchu	ıs mykiss		
Source		ECHA			

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

# 12.6 Other adverse effects No data available.

### 12.7 Other information

### Other information

Do not discharge product unmonitored into the environment.



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

Class 3 Classification code F1 Packing group Ш Hazard identification no. 30 UN number UN1139

Proper shipping name

COATING SOLUTION Tunnel restriction code D/E

Label

### 14.2 Transport IMDG

3 Class Packing group Ш UN1139 **UN** number

Proper shipping name COATING SOLUTION

EmS F-E, S-E

3 Label

### 14.3 Transport ICAO-TI / IATA

Class 3 Packing group Ш UN number UN1139 Proper shipping name Coating solution Label

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant



Trade name: Binder for stone carpet

Current version: 1.1.0, issued: 07.03.2018 Replaced version: 1.0.0, issued: 11.05.2017 Region: GB

### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.

No 3, 40

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

No data available.

### SECTION 16: Other information

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C Annex VI)

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the

substance is a specific isomer or a mixture of isomers.

### Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 634089